


Juvenile Intervention Assessment

CONFIDENTIAL REPORT

NAME : Mr. Example
ID# : 0000
AGE : 15 GENDER : Male
ETHNICITY : CAUCASIAN
EDUCATION/GRADE : NA
DATE JIA SCORED : 12/05/2022

Juvenile Intervention Assessment results are confidential and should be considered working hypotheses. No diagnosis or decision should be based solely upon these results.



\* \* SUMMARY PARAGRAPHS EXPLAINING CLIENT'S ATTAINED SCALE SCORES \* \*

TRUTHFULNESS SCALE: MEDIUM RISK RANGE RISK PERCENTILE: 47
This is an accurate JIA profile. However, there is a tendency for this client to deny common problems and to portray self in an overly favorable light. Specific questions will usually be answered more accurately than open ended or general type questions. This person has adequate reading skills. This is an accurate profile and other JIA scale scores are accurate.

ANXIETY SCALE: LOW RISK RANGE RISK PERCENTILE: 0
Few symptoms of anxiety, apprehension, tension or pressure are indicated. In counseling settings, anxiety and depression represent the most commonly reported symptoms of distress. This client reports a low anxiety level. This is a low risk Anxiety Scale score.

**DEPRESSION SCALE: LOW RISK RANGE** **RISK PERCENTILE: 27**  
Few symptoms of depression are evident. Symptoms include sadness, dejection guilt or despair. Sometimes anxiety masks symptoms of depression. A low level of depression is reported. Depression does not present as an issue in this client's overall adjustment.

**ALCOHOL SCALE: LOW RISK RANGE** **RISK PERCENTILE: 0**  
Few, if any, indicators of alcohol (beer, wine or liquor) abuse are evident. Alcohol use, if present, may be historical, experimental or social in nature and represent minimal involvement. Alcohol-related problems do not appear to be focal issues. A person who does not drink may score above zero, but would still be in the low risk range. This is a low risk Alcohol Scale score.

**DRUGS SCALE: LOW RISK RANGE** **RISK PERCENTILE: 0**  
Few, if any, significant indicators of illicit drug use or abuse are evident. Drug use, if present, may be historical, experimental in nature or represent minimal involvement. Drugs refers to marijuana (pot), cocaine (coke), downers, crack, heroin, etc. A person not using drugs may score above zero, but would still be in the low risk range. This is a low risk Drugs Scale score.

**STRESS COPING SCALE: LOW RISK RANGE** **RISK PERCENTILE: 10**  
Good stress coping abilities are indicated. Low risk scorers cope very well with the stress and pressure they experience. Effective coping skills and stress management do not appear to be significant problems in this client's overall adjustment. This is a low risk score.

**SELF-ESTEEM SCALE: LOW RISK RANGE** **RISK PERCENTILE: 30**  
High self-esteem is indicated. Positive self-esteem reflects positive feelings, attitudes, and self-perceptions. However, extremely low scores may reflect an inflated or narcissistic self-concept. Self-esteem refers to a person's view of himself or herself. It reflects an explicit valuing and appraisal of oneself. Low risk scorers accept and approve of themselves.

**DISTRESS SCALE: MEDIUM RISK RANGE** **RISK PERCENTILE: 69**  
This juvenile's Distress Scale score is in the Medium Risk (40 to 69th percentile) range. Medium risk scores may reflect growing unhappiness, anxiety and discouragement. If talking with this youth about experienced distress (anxiety and depression) does not help, then consideration might be given to counseling (individual, group and family). This adolescent's situation is likely contributing to experienced distress.

**FAMILY ISSUES SCALE: LOW RISK RANGE** **RISK PERCENTILE: 21**  
This youth's score on the Family Issues Scale is in the Low Risk (zero to 39th percentile) range. Low risk scorers typically perceive their family relationships as harmonious and conflict free. They value the family unit and family homeostasis. This youth would agree that the environment in which we live is much more than a physical world; it consists of close interpersonal interaction within the family group.

SIGNIFICANT ITEMS: The following self-report responses represent areas that may help in understanding the client's situation.

ALCOHOL

Lack of items may be deceptive. Review validity and other scales.

DRUGS

Lack of items may be deceptive. Review validity and other scales.

DISTRESS

- 49. Client states "I need help"
50. Wants to talk to a counselor
128. Wants personal counseling
129. Wants psychological evaluation
131. Wants stress management

FAMILY ISSUES

- 126. States wants family counseling

ANXIETY

Lack of items may be deceptive. Review validity and other scales.

DEPRESSION

- 22. Needs somebody to talk to

TREATMENT NEEDS: The identified items listed below reflect the client's self-reported opinions about perceived treatment needs.

- 126. Family counseling
128. Personal counseling
129. Psychological evaluation
131. Stress management

SOCIAL STRESSORS (MULTIPLE CHOICE)

- 132. Happiness: very happy
133. Drinking problem: no problem
134. Drug use not a problem
135. Distress level: slight problem
136. Mental health: slight problem
137. States is not recovering
138. Rated distress: minor problem
139. Rated drinking: no problem
140. Rated drug use: no problem
141. Denies is suicidal/homicidal
142. Family problems: slight
143. Presently on probation

RECOMMENDATIONS: [Blank lines for recommendations]

STAFF MEMBER SIGNATURE

DATE

JIA RESPONSES

Table with 6 columns of JIA response codes for item ranges 1-50, 51-100, and 101-143.